

15276/15

(OR. en)

PRESSE 80  
PR CO 72

## OUTCOME OF THE COUNCIL MEETING

3437th Council meeting

### Agriculture and Fisheries

Brussels, 14 and 15 December 2015

President **Fernand Etgen**  
Luxembourg's Minister for Agriculture, Viticulture and  
Consumer Protection

# P R E S S

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<b>ANNEX IA - SKAGERRAK, KATTEGAT, ICES zones I, II, III, IV, V, VI, VII, VIII, IX, X, XII and XIV, EU waters of CECAF, French Guiana waters</b>									
<i>Ammodytes spp.</i>	Sandeel	Lançon	Norwegian waters of IV (SAN/04-N)	<b>0</b>	0	Not relevant	0	Not relevant	
<i>Ammodytes spp.</i>	Sandeel and associated by-catches	Lançon et prises accessoires associées	EU waters of IIa, IIIa and IV (SAN/2A3A4)	<b>0</b>	357.219	Not relevant	0	Not relevant	
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	I & II (EU and internat. waters) (ARU/1/2)	<b>90</b>	90	0%	90	0%	
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	III & IV (EU waters) (ARU/34-C)	<b>1.028</b>	1.028	0%	1.028	0%	
<i>Argentina silus</i>	Greater silver smelt	Grande argentine	EU and internat. Waters of V, VI, VII (ARU/567)	<b>4.316</b>	4.316	0%	3.453	-20%	
<i>Brosme brosme</i>	Tusk	Brosmes	EU and internat. waters of I, II & XIV (USK/1214EI)	<b>21</b>	21	0%	21	0%	
<i>Brosme brosme</i>	Tusk	Brosmes	IIIa, EU waters of subdivisions 22-32 (USK/3A/BCD)	<b>29</b>	29	0%	29	0%	
<i>Brosme brosme</i>	Tusk	Brosmes	EU waters of IV (USK/04-C)	<b>235</b>	235	0%	235	0%	
<i>Brosme brosme</i>	Tusk	Brosmes	EU and internat. waters of V, VI, and VII (USK/567EI)	<b>937</b>	937	0%	937	0%	
<i>Brosme brosme</i>	Tusk	Brosmes	Norwegian waters of IV (USK/04-N)	<b>170</b>	170	0%	0	-100%	(1)
<i>Caproidae</i>	Boarfish	Sangler	Union and international waters of VI, VII and VIII (BOR/678)	<b>42.637</b>	53.296	-20%	42.637	-20%	
<i>Clupea harengus</i>	Herring	Hareng	IIIa (HER/03A)	<b>43.671</b>	37.188	17%	43.671	17%	(2)
<i>Clupea harengus</i>	Herring	Hareng	EU and Norwegian waters of IV north of 53°30' N (HER/4AB)	<b>310.945</b>	267.197	16%	310.945	16%	(2)
<i>Clupea harengus</i>	Herring	Hareng	Norwegian waters south of 62° N (HER/04-N)	<b>1184</b>	1.093	8%	1184	8%	(1)
<i>Clupea harengus</i>	Herring	Hareng	Herring by-catches in IIIa (HER/03A-BC)	<b>6659</b>	6.659	0%	6659	0%	(2)

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Clupea harengus</i>	Herring	Hareng	by-catches in IV, VIIId and in EU waters of IIa (HER/2A47DX)	<b>13.162</b>	15.744	-16%	13.162	-16%	(2)
<i>Clupea harengus</i>	Herring	Hareng	IVc, VIIId (HER/4CXB7D)	<b>57007</b>	48.986	16%	57007	16%	(2)
<i>Clupea harengus</i>	Herring	Hareng	EU and internat. waters of Vb and VIb and VIaN (HER/5B6ANB)	<b>0</b>	22.690	-100%	0	-100%	
<i>Clupea harengus</i>	Herring	Hareng	VIaS, VIIb-c (HER/6AS7BC)	<b>0</b>	0		0		
<i>Clupea harengus</i>	Herring	Hareng	VIa Clyde (HER/06ACL)	<b>To be established</b>	To be established		To be established		
<i>Clupea harengus</i>	Herring	Hareng	VIIa (HER/07A/MM)	<b>4.575</b>	4.854	-6%	4.575	-6%	
<i>Clupea harengus</i>	Herring	Hareng	VIIe-f (HER/7EF)	<b>930</b>	930	0%	930	0%	
<i>Clupea harengus</i>	Herring	Hareng	VIIg, h, j, k (HER/7G-K)	<b>15.442</b>	19.198	-20%	15.652	-18%	
<i>Engraulis encrasicolus</i>	Anchovy	Anchois	VIII (ANE/08.)	<b>25.000</b>	25.000		25.000		
<i>Engraulis encrasicolus</i>	Anchovy	Anchois	IX, X; EU waters of CECAF 34.1.1 (ANE/9/3411)	<b>10.622</b>	9.656	10%	9.656	0%	
<i>Gadus morhua</i>	Cod	Cabillaud	Skagerrak (COD/03AN.)	<b>4651</b>	4.035	15%	4.651	15%	(2)
<i>Gadus morhua</i>	Cod	Cabillaud	Kattegat (COD/03AS)	<b>370</b>	100	270%	120	20%	
<i>Gadus morhua</i>	Cod	Cabillaud	IV, EU waters of IIa, the part of IIIa not covered by the Skagerrak and Kattegat (COD/2A3AX4)	<b>27.930</b>	24.227	15%	27.930	15%	(2) Additional allocation for fully doc. fisheries (+12%)
<i>Gadus morhua</i>	Cod	Cabillaud	Norwegian waters south of 62° N (COD/04-N)	<b>382</b>	382	0%	382	0%	
<i>Gadus morhua</i>	Cod	Cabillaud	VIb; EU & internat. waters of Vb west of 12°00'W and of XII & XIV (COD/5W6-14)	<b>74</b>	74	0%	74	0%	
<i>Gadus morhua</i>	Cod	Cabillaud	VIa, EU & internat. waters of Vb east of 12°00'W (COD/5BE6A)	<b>0</b>	0		0		

<i>Species Latin name</i>	Species English name	Espèces nom français	ICES fishing zone	COUNCIL TACs 2016 (UE)	COUNCIL TACs 2015 (UE)	COUNCIL comparison 2016/2015	COMMISSION Proposal for 2016	Commis. Prop. 2016/ Council TAC 2015 comparison	Comments
<i>Gadus morhua</i>	Cod	Cabillaud	VIIa (COD/07A)	<b>146</b>	182	-20%	146	-20%	
<i>Gadus morhua</i>	Cod	Cabillaud	VIIb-c, VIIe-k, VIII, IX & X; EU waters of CECAF 34.1.1 (COD/7XAD34)	<b>4.565</b>	5.072	-10%	3.569	-30%	
<i>Gadus morhua</i>	Cod	Cabillaud	VIIId (COD/07D)	<b>1.961</b>	1.701	15%	1.961	15%	(2)
<i>Lepidorhombus spp.</i>	Megrims	Cardines	EU waters of IIa & IV (LEZ/2AC4-C)	<b>2.639</b>	2.083	27%	2.639	27%	
<i>Lepidorhombus spp.</i>	Megrims	Cardines	VI, EU and internat. waters of Vb; intern. Waters of XII & XIV (LEZ/56-14)	<b>5.214</b>	4.129	26%	5.214	26%	
<i>Lepidorhombus spp.</i>	Megrims	Cardines	VII (LEZ/07)	<b>18.254</b>	17.385	5%	17.405	0%	
<i>Lepidorhombus spp.</i>	Megrims	Cardines	VIIIa, VIIIb, VIIIId, VIIIe (LEZ/8ABDE)	<b>1.802</b>	1.716	5%	1.721	0%	
<i>Lepidorhombus spp.</i>	Megrims	Cardines	VIIIc, IX & X; EU waters of CECAF 34.1.1 (LEZ/8C3411)	<b>1.363</b>	1.377	-1%	1.013	-26%	
<i>Limanda limanda and Platicthys flesus</i>	Dab and Flounder	Dabé et Flet	EU waters of IIa and IV (DAB/2AC4-C & FLE/2AC4-C)	<b>18.434</b>	18.434	0%	14.747	-20%	
<i>Lophiidae</i>	Anglerfish	Baudroie	EU waters of IIa and IV (ANF/2AC4-C)	<b>11.267</b>	9.390	20%	11.627	24%	
<i>Lophiidae</i>	Anglerfish	Baudroie	Norwegian waters of IV (ANF/04-N)	<b>1.500</b>	1.500	0%	1.500	0%	(1)
<i>Lophiidae</i>	Anglerfish	Baudroie	VI, EU & internat. waters of Vb, int. waters of XII & XIV (ANF/561214)	<b>6.375</b>	5.313	20%	6.375	20%	
<i>Lophiidae</i>	Anglerfish	Baudroie	VII (ANF/07)	<b>33.516</b>	33.516	0%	29.534	-12%	
<i>Lophiidae</i>	Anglerfish	Baudroie	VIIIa,b,d,e (ANF/8ABDE)	<b>8.980</b>	8.980	0%	7.914	-12%	
<i>Lophiidae</i>	Anglerfish	Baudroie	VIIIc, IX, X, EU waters of CECAF 34.1.1 (ANF/8C3411)	<b>2.569</b>	2.987	-14%	2.413	-19%	
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	IIIa, EU waters of 22-32 (HAD/3A/BCD)	<b>3.761</b>	2.399	57%	3.761	57%	(2) including 20,5% top up

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	IV, EU waters of IIa (HAD/2AC4)	<b>47.688</b>	34.197	39%	47.688	39%	(2) includ. 14,5% top up
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	Norwegian waters south of 62° N (HAD/04-N)	<b>707</b>	707	0%	707	0%	(1)
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VIb; XII and XIV (EU and internat. waters) (HAD/6B1214)	<b>3.225</b>	2.580	25%	3.225	25%	
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	EU and internat. water of Vb, VIa (HAD/5BC6A)	<b>6.462</b>	4.536	42%	6.462	42%	Including 9,8% top up
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VIIb-k, VIII, IX, X; EU waters of CECAF 34.1.1 (HAD/7X7A34)	<b>7.258</b>	8.342	-13%	6.078	-27%	
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	VIIa (HAD/07A)	<b>1.654</b>	1.181	40%	589	-50%	Including 355t top up
<i>Merlangius merlangus</i>	Whiting	Merlan	IIIa (WHG/03A)	<b>1031</b>	1.031	0%	1031	0%	(2)
<i>Merlangius merlangus</i>	Whiting	Merlan	IV; EU waters of IIa (WHG/2AC4)	<b>12.610</b>	13.060	-3%	8.543	-35%	(2)
<i>Merlangius merlangus</i>	Whiting	Merlan	VI, EU and internat. waters of Vb; internat. waters of XII and XIV (WHG/56-14)	<b>213</b>	263	-19%	213	-19%	
<i>Merlangius merlangus</i>	Whiting	Merlan	VIIa (WHG/07A)	<b>80</b>	80	0%	80	0%	
<i>Merlangius merlangus</i>	Whiting	Merlan	VIIb-h, and VIIj-k (WHG/7X7A-C)	<b>22.778</b>	17.742	28%	20.616	16%	Including 20,4% top up
<i>Merlangius merlangus</i>	Whiting	Merlan	VIII (WHG/08)	<b>2.540</b>	3.175	-20%	2.540	-20%	
<i>Merlangius merlangus</i>	Whiting	Merlan	IX, X. EU waters of CECAF 34.1.1 (WHG/9/3411)	<b>pm</b>	To be established		pm		

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Merlangius merlangus and Pollachius pollachius</i>	Whiting and Pollack	Merlan et Lieu jaune	Norwegian waters south of 62° N (WHG/04-N)&(POL/04-N)	<b>190</b>	190	0%	190	0%	(1)
<i>Merluccius merluccius</i>	Hake	Merlu	IIIa; EU waters of subdivisions 22-32 (HKE/3A/BCD)	<b>2.997</b>	2.738	9%	2.913	6%	Northern hake with top up 11% (VI, VII) and top up 8,6% (VIIIabde) 10% IIa, IV may be fished in IIIa
<i>Merluccius merluccius</i>	Hake	Merlu	EU waters of IIa and IV (HKE/2AC4-C)	<b>3.492</b>	3.190	9%	3.393	6%	
<i>Merluccius merluccius</i>	Hake	Merlu	VI, VII; EU and internat. waters of Vb; internat. waters of XII, XIV (HKE/571214)	<b>61.902</b>	50.944	22%	60.185	18%	
<i>Merluccius merluccius</i>	Hake	Merlu	VIIIa-b, VIII d-e (HKE/8ABDE)	<b>40.393</b>	33.977	19%	39.259	16%	
<i>Merluccius merluccius</i>	Hake	Merlu	VIIIc, IX, X, EU waters of CECAF 34.1.1 (HKE/8C3411)	<b>10.735</b>	13.826	-22%	5.469	-60%	Including 3,5% top up
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	Norwegian waters of II and IV (WHB/4AB-N)	<b>0</b>	0		0		
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	EU and international waters of I, II, III, IV, V, VI, VII, VIIIa,b,d,e, XII and XIV (WHB/1X14)	<b>207.657</b>	197.195	5%	207.567	5%	
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	VIIIc, IX and X; EU waters of CECAF 34.1.1 (WHB/8C3411)	<b>29.914</b>	32.287	-7%	29.914	-7%	
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	EU waters of II, IVa, V, VI north of 56°30N and VII west of 12°W (WHB/24A567)	<b>Not relevant</b>	Not relevant		Not relevant		
<i>Microstomus kitt &amp; Glyptocephalus cynoglossus</i>	Lemon sole and witch flounder	Limande sole et plie grise	EU waters of IIa and IV (LEM/2AC4-C) (WIT/2AC4-C)	<b>6.391</b>	6.391	0%	5.848	-8%	

<i>Species Latin name</i>	Species English name	Espèces nom français	ICES fishing zone	COUNCIL TACs 2016 (UE)	COUNCIL TACs 2015 (UE)	COUNCIL comparison 2016/2015	COMMISSION Proposal for 2016	Commis. Prop. 2016/ Council TAC 2015 comparison	Comments
<i>Molva dypterygia</i>	Blue ling	Lingue bleue	EU waters and internat. waters of Vb, VI, VII (BLI/5B67)	<b>4.746</b>	4.746	0%	4746	0%	
<i>Molva dypterygia</i>	Blue ling	Lingue bleue	International waters of XII (BLI/12INT)	<b>446</b>	558	-20%	446	-20%	
<i>Molva dypterygia</i>	Blue ling	Lingue bleue	EU and international waters of II, IV (BLI/24)	<b>53</b>	53	0%	53	0%	
<i>Molva dypterygia</i>	Blue ling	Lingue bleue	EU and international waters of III (BLI/03)	<b>8</b>	8	0%	8	0%	
<i>Molva molva</i>	Ling	Lingue	EU and internat, waters of I, II (LIN/1/2)	<b>36</b>	36	0%	36	0%	
<i>Molva molva</i>	Ling	Lingue	IIIa, EU waters of IIIb-d (LIN/3A/BCD)	<b>87</b>	87	0%	87	0%	
<i>Molva molva</i>	Ling	Lingue	EU waters of IV (LIN/04-C)	<b>2912</b>	2.428	20%	2912	20%	
<i>Molva molva</i>	Ling	Lingue	EU and internat. waters of V (LIN/05EI)	<b>33</b>	33	0%	33	0%	
<i>Molva molva</i>	Ling	Lingue	EU waters and internat. waters of VI, VII, VIII, IX, X, XII, XIV (LIN/6X14)	<b>10.297</b>	8.464	22%	10.497	24%	
<i>Molva molva</i>	Ling	Lingue	Norwegian waters of IV (LIN/04-N)	<b>950</b>	1.100	-14%	950	-14%	(1)
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IIIa; EU waters of subdivisions 22-32 (NEP/3A/BCD)	<b>11.001</b>	5.318	107%	11.001	107%	
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	EU waters of IIa and IV (NEP/2AC4-C)	<b>13.700</b>	17.843	-23%	13.700	-23%	Including 3,1% top up
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	Norwegian waters of IV (NEP/04-N)	<b>1.000</b>	1.000	0%	1.000	0%	(1)
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VI, EU and internat. waters of Vb (NEP/5BC6)	<b>16.524</b>	14.190	16%	16.524	16%	Including 1,5% top up
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VII (NEP/07)	<b>23.348</b>	21.619	8%	19.534	-10%	Including 10,2% top up
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VIII a, b, d, e (NEP/8ABDE)	<b>3.899</b>	3.899	0%	3.214	-18%	

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	VIIIc (NEP/08C)	<b>48</b>	60	-20%	48	-20%	
<i>Nephrops norvegicus</i>	Norway lobster	Langoustine	IX, X, EU waters of CECAF 34.1.1 (NEP/9/3411)	<b>320</b>	254	26%	305	20%	
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	IIIa (PRA/03A)	<b>6.519</b>	4.074	60%	6.519	60%	(2)
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	EU waters of IIa and IV (PRA/2AC4-C)	<b>2.446</b>	2.446	0%	2.446	0%	
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Norwegian waters south of 62°00' N (PRA/04-N)	<b>529</b>	480	10%	529	10%	(1)
<i>Penaeus spp.</i>	'Penaeus' shrimps	Crevette royale	French Guiana (PEN/FGU)	<b>To be established</b>	To be established		To be established		
<i>Pleuronectes platessa</i>	Plaice	Plie	Skagerrak (PLE/03AN)	<b>11.531</b>	9.855	17%	11.531	17%	(2)
<i>Pleuronectes platessa</i>	Plaice	Plie	Kattegat (PLE/03AS)	<b>2.347</b>	2.626	-11%	2.347	-11%	Including 40,5% top up
<i>Pleuronectes platessa</i>	Plaice	Plie	IV; EU waters of IIa; that part of IIIa not covered by the Skagerrak and Kattegat (PLE/2A3AX4)	<b>122.494</b>	119.690	2%	122.494	2%	(2) Includ. 19,8% top up
<i>Pleuronectes platessa</i>	Plaice	Plie	VI; EU and internat. waters of Vb, internat. waters of XII and XIV (PLE/56-14)	<b>658</b>	658	0%	658	0%	
<i>Pleuronectes platessa</i>	Plaice	Plie	VIIa (PLE/07A)	<b>1.098</b>	1.098	0%	878	-20%	
<i>Pleuronectes platessa</i>	Plaice	Plie	VII b, c (PLE/07BC)	<b>74</b>	74	0%	74	0%	
<i>Pleuronectes platessa</i>	Plaice	Plie	VII d, e (PLE/07DE)	<b>12.446</b>	6.223	100%	10.143	63%	
<i>Pleuronectes platessa</i>	Plaice	Plie	VII f, g (PLE/7FG)	<b>420</b>	461	-9%	420	-9%	



<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Pleuronectes platessa</i>	Plaice	Plie	VII h, j, k (PLE/7HJK)	<b>135</b>	135	0%	135	0%	
<i>Pleuronectes platessa</i>	Plaice	Plie	VIII, IX, X, EU waters of CECAF 34.1.1 (PLE/8/3411)	<b>395</b>	395	0%	395	0%	
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VI, EU and internat. waters of Vb, internat. waters of XII, XIV (POL/56-14)	<b>397</b>	397	0%	397	0%	
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VII (POL/07)	<b>13.495</b>	13.495	0%	10.796	-20%	
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VIII a, b, d, e (POL/8ABDE)	<b>1.482</b>	1.482	0%	1.186	-20%	
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	VIIIc (POL/08C)	<b>231</b>	231	0%	231	0%	
<i>Pollachius pollachius</i>	Pollack	Lieu jaune	IX, X, EU waters of CECAF 34.1.1 (POL/9/3411)	<b>282</b>	282	0%	282	0%	
<i>Pollachius virens</i>	Saithe	Lieu noir	IIIa and IV; EU waters of IIa,b,c,d (POK/2A34)	<b>31.284</b>	31.383	0%	31.284	0%	(2) Includ.5,7% top up
<i>Pollachius virens</i>	Saithe	Lieu noir	VI; EU and internat. waters of Vb, XII and XIV (POK/56-14)	<b>5.948</b>	6.348	-6%	5.948	-6%	(2)
<i>Pollachius virens</i>	Saithe	Lieu noir	Norwegian waters south of 62° N (POK/04-N)	<b>880</b>	880	0%	880	0%	(1)
<i>Pollachius virens</i>	Saithe	Lieu noir	VII, VIII, IX, X, EU waters of CECAF 34.1.1 (POK/7/3411)	<b>3.176</b>	3.176	0%	3.176	0%	
<i>Psetta maxima &amp; Scophthalmus rhombus</i>	Turbot and brill	Turbot et barbue	EU waters of IIa and IV (TUR/2AC4-C) (BLL/2AC4-C)	<b>4.488</b>	4.642	-3%	4.488	-3%	
<i>Rajidae</i>	Skates and rays	Requins et Raies	EU waters of IIa and IV (SRX/2AC4-C)	<b>1.313</b>	1.256	5%	1.005	-20%	
<i>Rajidae</i>	Skates and rays	Requins et Raies	EU waters of IIIa (SRX/03A-C)	<b>47</b>	47	0%	38	-19%	

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Rajidae</i>	Skates and rays	Requins et Raies	EU waters of VIa-b, VIIa-c and VIIe-k (SRX/67AKXD)	<b>8.032</b>	8.032	0%	6.426	-20%	
<i>Rajidae</i>	Skates and rays	Requins et Raies	EU waters of VIIId (SRX/07D)	<b>966</b>	798	21%	638	-20%	
<i>Rajidae</i>	Skates and rays	Requins et Raies	EU waters of VIII et IX (SRX/89-C)	<b>3.420</b>	3.420	0%	3.078	-10%	
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	EU waters of IIa and IV; EU and internat. waters Vb and VI (GHL/2A-C46)	<b>1400</b>	1500	-7%	1400	-7%	
<i>Scomber scombrus</i>	Mackerel	Maquereau	IIIa and IV; EU waters of IIa, IIIb-c and Subdivisions 22-32 (MAC/2A34)	<b>31.241</b>	36.338	-14%	31.241	-14%	(2)
<i>Scomber scombrus</i>	Mackerel	Maquereau	VI, VII, VIII a-b, VIIIId-e; EU and internat. waters of Vb; Internat. waters of Iia, XII, XIV (MAC/2CX14)	<b>357.587</b>	420.692	-15%	357.587	-15%	(2)
<i>Scomber scombrus</i>	Mackerel	Maquereau	VIIIc, IX, X; EU waters of CEECAF 34.1.1 (MAC/8C3411)	<b>40.918</b>	48.138	-15%	40.918	-15%	(2)
<i>Scomber scombrus</i>	Mackerel	Maquereau	Norwegian waters of IIa and IVa (MAC/2A4A-N.)	<b>14.043</b>	16.521	-15%	14.043	-15%	(1)
<i>Solea solea</i>	Common sole	Sole commune	IIIa; EU waters of Subdivisions 22-32 (SOL/3A/BCD)	<b>391</b>	205	91%	391	91%	Includ. 3,2% top up
<i>Solea solea</i>	Common sole	Sole commune	EU waters of IIa and IV (SOL/24-C)	<b>13.252</b>	11.890	11%	12.056	1%	Includ. 1,4% top up
<i>Solea solea</i>	Common sole	Sole commune	VI; EU and internat. waters of Vb; internat. waters of XII, XIV (SOL/56-14)	<b>57</b>	57	0%	57	0%	
<i>Solea solea</i>	Common sole	Sole commune	VIIa (SOL/07A)	<b>40</b>	90	-56%	0	-100%	
<i>Solea solea</i>	Common sole	Sole commune	VIIb-c (SOL/7BC)	<b>42</b>	42	0%	42	0%	
<i>Solea solea</i>	Common sole	Sole commune	VIIId (SOL/07D)	<b>3.258</b>	3.483	-6%	2.580	-26%	Includ. 8,6% top up
<i>Solea solea</i>	Common sole	Sole commune	VIIe (SOL/07E)	<b>979</b>	851	15%	979	15%	

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Solea solea</i>	Common sole	Sole commune	VIII f, g (SOL/7FG)	<b>779</b>	851	-8%	750	-12%	Includ. 0,6% top up
<i>Solea solea</i>	Common sole	Sole commune	VIII h, j, k (SOL/7HJK)	<b>382</b>	382	0%	382	0%	
<i>Solea solea</i>	Common sole	Sole commune	VIII a, b (SOL/8AB)	<b>3.420</b>	3.800	-10%	2.393	-37%	
<i>Solea spp.</i>	Sole	Sole	VIII c, d, e, IX, X. EU waters of CECAF 34.1.1 (SOO/8CDE34)	<b>1.072</b>	1.072	0%	1.072	0%	
<i>Sprattus sprattus</i>	Sprat and associated by-catches	Sprat et prises accessoires associées	III a (SPR/03A)	<b>30.784</b>	30.784	0%	30.784	0%	(2)
<i>Sprattus sprattus</i>	Sprat and associated by-catches	Sprat et prises accessoires associées	EU waters of II a and IV (SPR/2AC4-C)	<b>330.000</b>	341.000	-3%	324.500	-5%	
<i>Sprattus sprattus</i>	Sprat	Sprat	VIII d-e (SPR/7DE)	<b>5.150</b>	5.150	0%	5.150	0%	
<i>Squalus acanthias</i>	Spurdog/ dogfish	Aiguillat/ chien de mer	EU waters of III a (DGS/03A-C)	<b>0</b>	0		0		
<i>Squalus acanthias</i>	Spurdog/ dogfish	Aiguillat/ chien de mer	EU waters of II a and IV (DGS/2AC4-C)	<b>0</b>	0		0		
<i>Squalus acanthias</i>	Spurdog/ dogfish	Aiguillat/ chien de mer	EU and internat. waters of I, V, VI, VII, VIII, XII and XIV	<b>0</b>	0		0		
<i>Trachurus spp.</i>	Horse mackerel and associated by-catches	Chinchard et prises accessoires associées	EU waters of IV b, IV c, VIII d (JAX/4BC7D)	<b>11.650</b>	11.650	0%	11.650	0%	
<i>Trachurus spp.</i>	Horse mackerel and associated by-catches	Chinchard et prises accessoires associées	EU waters of II a, IV a, VI, VII a-c, VIII e-k, VIII a,b,d,e; V b; EU and internat. waters of V b; internat. waters of XII & XIV (JAX/2A-14)	<b>105.021</b>	84.032	25%	124403	48%	
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	VIII c (JAX/08C)	<b>17.235</b>	13.572	27%	17.235	27%	
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	IX (JAX/09)	<b>68.583</b>	59.500	15%	68.583	15%	

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	X: EU waters of CECAF - Azores (JAX/X34PRT)	To be established			To be established		
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	EU waters of CECAF Madeira Islands (JAX/341PRT)	To be established			To be established		
<i>Trachurus spp.</i>	Horse mackerel	Chinchard	EU waters of CECAF - Canary Islands (JAX/341SPN)	To be established			To be established		
<i>Trisopterus esmarki</i>	Norway pout and associated by-catches	Tacaud norvégien	IIIa; EU waters of IIa, IV (EC waters) (NOP/2A3A4)	<b>129.000</b>	128.000	1%	91.500	-29%	
<i>Trisopterus esmarki</i>	Norway pout and associated by-catches	Tacaud norvégien	Norwegian water of IV (NOP/04-N)	<b>0</b>	0		0		
		Industrial fish	Norwegian waters of IV (I/F/4AB-N)	<b>800</b>	800	0%	800	0%	(1)
		Other species	EU waters of Vb; VI and VII (OTH/5B67-C)	<b>Not relevant</b>	Not relevant		Not relevant		
		Other species	Norwegian waters IV (OTH/04-N)	<b>8000</b>	7250	10%	8000	10%	(1)
		Other species	EU waters of IIa, IV and VIa north of 56°30N (OTH/2A46AN)	<b>Not relevant</b>	Not relevant		Not relevant		
<b>ANNEX IB - NORTH EAST ATLANTIC AND GREENLAND - ICES SUBAREAS I, II, V, XII, XIV AND GREENLAND WATERS OF NAFO 1</b>									
<i>Clupea harengus</i>	Herring	Hareng	EU and Internat. waters of I and II (HER/1/2)	<b>20.629</b>	18.424	12%	20.629	12%	
<i>Gadus morhua</i>	Cod	Cabillaud	Norwegian waters of I and II (COD/IN2AB)	<b>17.547</b>	22.036	-20%	17.457	-21%	(1)
<i>Gadus morhua</i>	Cod	Cabillaud	Greenland waters of NAFO 1, Greenland waters of XIV (COD/N1GL14)	<b>2.100</b>	2.000	5%	2.100	5%	
<i>Gadus morhua</i>	Cod	Cabillaud	Internat. waters of I and IIb (COD/1/2B)	<b>33.176</b>	33.176	0%	33.176	0%	

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Gadus morhua and Melanogrammus aeglefinus</i>	Cod and haddock	Cabillaud et églefin	Faroese waters of Vb (C/H/05B-F)	<b>950</b>	950	0%	950	0%	
<i>Hippoglossus hippoglossus</i>	Atlantic halibut	Flétan	Greenland waters of V, XIV (HAL/514GRN)	<b>0</b>	125	-100%	0	-100%	
<i>Hippoglossus hippoglossus</i>	Atlantic halibut	Flétan	Greenland waters of NAFO 1 (HAL/N1GRN)	<b>0</b>	125	-100%	0	-100%	
<i>Macrourus spp.</i>	Grenadiers	Grenadiers	Greenland waters of V and XIV (GRV/514GRN)	<b>100</b>	120	-17%	100	-17%	
<i>Macrourus spp.</i>	Grenadiers	Grenadiers	Greenland waters of NAFO 1 (GRV/N1GRN)	<b>100</b>	120	-17%	100	-17%	
<i>Mallotus villosus</i>	Capelin	Capelan	IIb (CAP/02B)	<b>0</b>	0		0		
<i>Mallotus villosus</i>	Capelin	Capelan	Greenland waters of V, XIV (CAP/514GRN)	<b>0</b>	3.100	-100%	0	-100%	
<i>Melanogrammus aeglefinus</i>	Haddock	Eglefin	Norwegian waters of I, II (HAD/1N2AB)	<b>1.100</b>	1.288	-15%	1.100	-15%	(1)
<i>Micromesistius poutassou</i>	Blue whiting	Merlan bleu	Faroese waters (WHB/2A4AXF)	<b>2.500</b>	2.000	25%	2.500	25%	
<i>Molva molva and Molva dypterygia</i>	Ling and Blue ling	Lingue et lingue bleue	Faroese waters of Vb (B/L/05B-F)	<b>2.100</b>	1.500	40%	2.100	40%	
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Greenland waters of V and XIV (PRA/514GRN)	<b>1.375</b>	1.650	-17%	1.375	-17%	
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	Greenland waters of NAFO 1 (PRA/N1GRN)	<b>2.600</b>	2.000	30%	2.600	30%	
<i>Pollachius virens</i>	Saithe	Lieu noir	Norwegian waters I, II (POK/1N2AB)	<b>2.550</b>	2.550	0%	2.550	0%	(1)
<i>Pollachius virens</i>	Saithe	Lieu noir	International waters of I and II (POK/1/2INT)	<b>0</b>	0		0		

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Pollachius virens</i>	Saithe	Lieu noir	Faroese waters of Vb (POK/05B-F)	<b>3.000</b>	3.000	0%	3.000	0%	
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Norwegian waters of I and II (GHL/1N2AB)	<b>50</b>	50	0%	50	0%	(1)
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	International waters of I and II (GHL/12/INT)	<b>2000</b>	0		0		
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Greenland waters of NAFO 1 (GHL/N1GRN)	<b>1.925</b>	1.925	0%	1.925	0%	
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	Greenland waters of V and XIV (GHL/514GRN)	<b>4.515</b>	3.880	16%	4.515	16%	
<i>Sebastes spp.</i>	Redfish (shallow pelagic)	Sébaste	EU and internat. waters of V ; internat. waters of XII and XIV (RED/51214S)	<b>0</b>	0		0		
<i>Sebastes spp.</i>	Redfish (deep pelagic)	Sébaste	EU and internat. waters of V ; internat. waters of XII and XIV (RED/51214D)	<b>1.313</b>	1.468	-11%	1.313	-11%	
<i>Sebastes spp.</i>	Redfish	Sébaste	Norwegian waters of I and II (RED/1N2AB)	<b>1.500</b>	1.500	0%	1.500	0%	(1)
<i>Sebastes spp.</i>	Redfish	Sébaste	Internat. Waters of I and II (RED/1/2INT)	<b>Not relevant</b>	Not relevant		Not relevant		
<i>Sebastes spp.</i>	Redfish (pelagic)	Sébaste	Greenland waters of NAFO 1F and V, XIV (RED/N1F14P)	<b>1.050</b>	1350	-22%	1.050	-22%	
	Redfish (demersal)	Sébaste	Greenland waters of NAFO 1F and V, XIV (RED/N1F14D)	<b>1.700</b>	2000	-15%	1.700	-15%	
<i>Sebastes spp.</i>	Redfish	Sébaste	Icelandic waters of Va (RED/05A-IS)	<b>0</b>	0		0		
<i>Sebastes spp.</i>	Redfish	Sébaste	Faroese waters of Vb (RED/05B-F)	<b>500</b>	1.100	-55%	500	-55%	
	Other species		Norwegian waters of I, II (OTH/1N2AB)	<b>350</b>	350	0%	350	0%	(1)
	Other species		Faroese waters of Vb (OTH/05B-F)	<b>800</b>	800	0%	800	0%	

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
	Flatfish		Faroese waters of Vb (FLX/05B-F)	<b>100</b>	300	-67%	100	-67%	
	By-catches		Greenland waters (B-C/GRL)	<b>1.126</b>			1.126		
<b>ANNEX IC - NORTH WEST ATLANTIC - NAFO CONVENTION AREA</b>									
<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 2J3KL (COD/N2J3KL)	<b>0</b>	0	0%	0	0%	
<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 3NO (COD/N3NO.)	<b>0</b>	0	0%	0	0%	
<i>Gadus morhua</i>	Cod	Cabillaud	NAFO 3M (COD/N3M)	<b>7.945</b>	7.867	1%	7.945	1%	
<i>Glyptocephalus cynoglossus</i>	Witch flounder	Plie grise	NAFO 2J3KL (WIT/N2J3KL)	<b>0</b>	0	0%	0	0%	
<i>Glyptocephalus cynoglossus</i>	Witch flounder	Plie grise	NAFO 3NO (WIT/N3NO.)	<b>288</b>	133	117%	288	117%	
<i>Hippoglossoides platessoides</i>	American Plaice	Faux Flétan	NAFO 3M (PLA/N3M.)	<b>0</b>	0	0%	0	0%	
<i>Hippoglossoides platessoides</i>	American Plaice	Faux Flétan	NAFO 3LNO (PLA/N3LNO.)	<b>0</b>	0	0%	0	0%	
<i>Illex illecebrosus</i>	Shortfin squid	Calmar à nageoires courtes	NAFO sub-zones 3 and 4 (SQI/N34)	<b>Not relevant</b>	Not relevant		Not relevant		
<i>Limanda ferruginea</i>	Yellowtail flounder	Limande à queue jaune	NAFO 3LNO (YEL/N3LNO)	<b>0</b>	0		0		
<i>Mallotus villosus</i>	Capelin	Capelan	NAFO 3NO (CAP/N3NO.)	<b>0</b>	0		0		
<i>Pandalus borealis</i>	Northern prawn	Crevette nordique	NAFO 3L (PRA/N3L)	<b>0</b>	0	#DIV/0!	0	#DIV/0!	
<i>Pandalus borealis</i>	Nothern prawn	Crevette nordique	NAFO 3M (PRA/N3M)	<b>Not relevant</b>	Not relevant		Not relevant		
<i>Reinhardtius hippoglossoides</i>	Greenland halibut	Flétan du Groenland	NAFO 3LMNO (GHL/N3LMNO)	<b>6.430</b>	6.768	-5%	6.430	-5%	
<i>Rajidae</i>	Skate	Raie cendrée	NAFO 3LNO (SKA/N3LNO)	<b>4.408</b>	4.408	0%	4.408	0%	

<i>Species Latin name</i>	Species English name	Espèces nom français	ICES fishing zone	COUNCIL TACs 2016 (UE)	COUNCIL TACs 2015 (UE)	COUNCIL comparison 2016/2015	COMMISSION Proposal for 2016	Commis. Prop. 2016/ Council TAC 2015 comparison	Comments
<i>Sebastes spp.</i>	Redfish	Sébaste	NAFO 3LN (RED/L3LN)	<b>1.896</b>	1.896	0%	1896	0%	
<i>Sebastes spp.</i>	Redfish	Sébaste	NAFO 3M (RED/N3M)	<b>7.813</b>	7.813	0%	7.813	0%	
<i>Sebastes spp.</i>	Redfish	Sébaste	NAFO 3O (RED/N3O)	<b>7.000</b>	7.000	0%	7.000	0%	
<i>Sebastes spp.</i>	Redfish	Sébaste	NAFO Subarea 2, divisions 1F and 3K (RED/N1F3K.)	<b>0</b>	0		0		
<i>Urophycis tenuis</i>	White hake	Merluche blanche	NAFO 3NO (HKW/N3NO)	<b>588</b>	588	0%	588	0%	
<b>ANNEX ID - HIGHLY MIGRATORY FISH - ALL AREAS</b>									
<i>Thunnus thynnus</i>	Bluefin tuna	Thon rouge	Atlantic Ocean, east of longitude 45°W and Mediterranean (BFT/AE045W)	<b>11.204</b>	9.373	20%	11.204	20%	
<i>Xiphias gladius</i>	Swordfish	Espadon	Atlantic Ocean, north of latitude 5° N (SWO/AN05N)	<b>7.686</b>	8.347	-8%	7.686	-8%	
<i>Xiphias gladius</i>	Swordfish	Espadon	Atlantic Ocean, south of latitude 5° N (SWO/AS05N)	<b>5.601</b>	5.695	-2%	5.601	-2%	
<i>Thunnus alalunga</i>	Northern Albacore	Thon blanc	Atlantic Ocean, north of latitude 5° N (ALB/AN05N)	<b>24.542</b>	26.939	-9%	24.542	-9%	
<i>Thunnus alalunga</i>	Southern Albacore	Thon blanc	Atlantic Ocean, south of latitude 5° N (ALB/AS05N)	<b>1.837</b>	1.719	7%	1.837	7%	
<i>Thunnus obesus</i>	Bigeye tuna	Thon obèse	Atlantic Ocean (BET/ATLANT)	<b>23.789</b>	29.467	-19%	23.789	-19%	
<i>Makaira nigricans</i>	Blue marlin	Makaire bleu	Atlantic Ocean (BUM/ATLANT)	<b>408</b>	528	-23%	408	-23%	
<i>Tetrapturus alba</i>	White marlin	Makaire blanc	Atlantic Ocean (WHM/ATLANT)	<b>24</b>	52	-54%	24	-54%	
<b>ANNEX IE - ANTARCTIC - CCAMLR CONVENTION AREA</b>									
<i>Champsocephalus gunnari</i>	Mackerel icefish	Poisson des glaces antarctique	FAO 48.3 Anatarctic (ANI/F483)	<b>3.461</b>	2.659	30%	3.461	30%	(3)



<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Champscephalus gunnari</i>	Mackerel icefish	Poisson des glaces antarctique	FAO 58.5.2 Antarctic (ANI/F5852)	<b>482</b>	309	56%	482	56%	(3)
<i>Chaenocephalus aceratus</i>	Blackfin icefish	Grande-gueule antarctique	FAO 48.3 Antarctic (SSI/F483)	<b>2200</b>	2.200	0%	2.200	0%	(3)
<i>Channichtyx rhinoceratus</i>	Unicorn icefish	Grande gueule	FAO 58.5.2 Antarctic (LIC/F5852)	<b>1663</b>	150	1009%	1663	1009%	(3)
<i>Dissostichus eleginoides</i>	Patagonian toothfish	Légine australe	FAO 48.3 Antarctic (TOP/F483)	<b>2750</b>	2.400	15%	2750	15%	(3)
<i>Dissostichus eleginoides</i>	Patagonian toothfish	Légine australe	FAO 48.4 Antarctic north (TOP/F484N)	<b>47</b>	42	12%	47	12%	(3)
<i>Dissostichus mawsoni</i>	Antartic Toothfish	Légine antartique	FAO 48.4 Antarctic south (TOP/F484S)	<b>39</b>	28	39%	39	39%	(3)
<i>Dissostichus eleginoides</i>	Patagonian toothfish	Légine australe	FAO 58.5.2 Antarctic (TOP/F5852)	<b>3405</b>	4.410	-23%	3.405	-23%	(3)
<i>Euphausia superba</i>	Krill	Krill	FAO 48 (KRI/F48)	<b>5.610.000</b>	5.610.000	0%	5.610.000	0%	(3)
<i>Euphausia superba</i>	Krill	Krill	FAO 58.4.1 Antarctic (KRI/F5841)	<b>440.000</b>	440.000	0%	440.000	0%	(3)
<i>Euphausia superba</i>	Krill	Krill	FAO 58.4.2 Antarctic (KRI/F5842)	<b>2.645.000</b>	2.645.000	0%	2.645.000	0%	(3)
<i>Gobionotothen gibberifrons</i>	Humped rockcod	Bocasse bossue	FAO 48.3 Antarctic (NOG/F483)	<b>1.470</b>	1.470	0%	1.470	0%	(3)
<i>Lepidonotothen squamifrons</i>	Grey rockcod	Bocasse grise	FAO 48.3 Antarctic (NOS/F483)	<b>300</b>	300	0%	300	0%	(3)
<i>Lepidonotothen squamifrons</i>	Grey rockcod	Bocasse grise	FAO 58.5.2 Antarctic NOS/F5852	<b>80</b>	80	0%	80	0%	(3)
<i>Macrourus spp.</i>	Grenadier	Grenadier	FAO 58.5.2 Antarctic (GRV/F5852)	<b>360</b>	360	0%	360	0%	(3)

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Macrourus caml and Macrourus whitsoni</i>	Caml grenadier and Whitson's grenadier	Grenadier caml et Grenadier de Whitson	FAO 58.5.2 Antarctic (GR2/F5852)	<b>409</b>			409		
<i>Macrourus spp.</i>	Grenadier	Grenadier	FAO 48.3 Antarctic (GRV/F483)	<b>138</b>	120	15%	138	15%	(3)
<i>Macrourus spp.</i>	Grenadier	Grenadier	FAO 48.4 Antarctic (GRV/F484)	<b>13</b>	11	18%	13	18%	
<i>Notothenia rossii</i>	Marbled rockcod	Bocasse marbrée	FAO 48.3 Antarctic (NOR/F483)	<b>300</b>	300	0%	300	0%	(3)
<i>Paralomis spp.</i>	Crab	Crabe	FAO 48.3 Antarctic (PAI/F483)	<b>0</b>	0	0%	0	0%	(3)
<i>Pseudochaenichthys georgianus</i>	South Georgia icefish	Crocodile de Géorgie	FAO 48.3 Antarctic (SIG/F483)	<b>300</b>	300	0%	300	0%	(3)
<i>Rajidae</i>	Skates and rays	Requins et raies	FAO 58.5.2 Antarctic (SRX/F5852)	<b>120</b>	120	0%	120	0%	(3)
<i>Rajidae</i>	Skates and rays	Requins et raies	FAO 48.3 Antarctic (SRX/F483)	<b>138</b>	120	15%	138	15%	(3)
<i>Rajidae</i>	Skates and rays	Requins et raies	FAO 48.4 Antarctic (SRX/F484)	<b>4</b>	3	33%	4	33%	
	Other species	Autres espèces	FAO 58.5.2 Antarctic (OTH/F5852)	<b>50</b>	50	0%	50	0%	(3)
<b>ANNEX IF - SOUTH-EAST ATLANTIC OCEAN - SEAFO CONVENTION AREA</b>									
<i>Beryx spp.</i>	Alfonsinos	Béryx	SEAFO (ALF/SEAFO)	<b>200</b>	200	0%	200	0%	(4)
<i>Chaceon spp.</i>	Deep-sea Red crab	Gérion ouest-africain	SEAFO Sub Division B1 (GER/F47NAM)	<b>190</b>	200	-5%	190	-5%	(4)
<i>Chaceon spp.</i>	Deep-sea Red crab	Gérion ouest-africain	SEAFO excluding Sub division B1 (GER/F47X)	<b>200</b>	200	0%	200	0%	(4)
<i>Dissostichus eleginoides</i>	Patagonian Toothfish	Légine australe	SEAFO Sub-Area D (TOP/F47D)	<b>264</b>	276	-4%	264	-4%	(4)
<i>Dissostichus eleginoides</i>	Patagonian Toothfish	Légine australe	SEAFO excluding sub-Area D (TOP/F47-D)	<b>0</b>	0		0		

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<i>Hoplostethus atlanticus</i>	Orange roughy	Hoplosthète orange	SEAFO Sub Division B1 (ORY/F47NAM)	<b>0</b>	0		0		(4)
<i>Hoplostethus atlanticus</i>	Orange roughy	Hoplosthète orange	SEAFO, excluding Sub Division B1 (ORY/F47X)	<b>50</b>	50	0%	50	0%	(4)
<i>Pseudopentaceros spp</i>	Pelagic armourhead		SEAFO (EDW/SEAFO)	<b>143</b>	143	0%	143	0%	
<b>ANNEX IG - SOUTHERN BLUEFIN TUNA - ALL AREAS</b>									
<i>Thunnus maccoyii</i>	Southern bluefin tuna	Thon rouge	By-catches in all areas (SBF/F41-81)	<b>10</b>	10	0%	10	0%	
<b>ANNEX IH - WCFPC CONVENTION AREA</b>									
<i>Xiphias gladius</i>	Swordfish	Espadon	WCPFC area south of 20° S	<b>3.170</b>	3.170	0%	3170	0%	

<i>Species Latin name</i>	<b>Species English name</b>	<b>Espèces nom français</b>	<b>ICES fishing zone</b>	<b>COUNCIL TACs 2016 (UE)</b>	<b>COUNCIL TACs 2015 (UE)</b>	<b>COUNCIL comparison 2016/2015</b>	<b>COMMISSION Proposal for 2016</b>	<b>Commis. Prop. 2016/ Council TAC 2015 comparison</b>	<b>Comments</b>
<b>ANNEX IJ - SPRFMO CONVENTION AREA</b>									
Trachurus murphyi	Jack mackerel	Chinchard du Chili	SPRFMO Convention area (CJM/SPRFMO)	To be established	To be established		To be established		

- (1) Stocks in Norwegian waters.
- (2) Stocks shared with Norway.
- (3) TACs adopted by the Commission for the conservation of Antarctic marine living resources (CCAMLR) are not allocated to the members of CCAMLR and hence the Union's share is undetermined.
- (4) These TACs are not allocated to the members of South East Atlantic Fisheries Organisation (SEAFO) and hence the Union's share is undetermined.